





New Zealand is renowned for its clean and fresh air, so its hard to imagine the air causing negative impacts to our health, however we spend roughly **90% or more** of our time indoors such as home at home, schools, workplace etc<sup>2</sup>.

Between pollen, dust mites and our beloved furry friends, there's usually something in the air when it comes to allergies. In fact, New Zealand has some of the worst allergy rates in the world with between 30-40% of adults suffering from allergies\*.

Respiratory conditions like asthma are also affecting an astonishingly high number of New Zealanders- in fact, according to the Allergy and Asthma Foundation, **1 in 6 Kiwis are affected** 

**by respiratory disease**<sup>1</sup>, which is the third leading cause of death in NZ.

At Daikin, we're dedicated to delivering products and technologies that not only create a comfortable living environment, but also a healthy environment.

# THE **SENSITIVE CHOICE** FOR YOUR HOME

Daikin Air Purifiers are approved by the Sensitive Choice® New Zealand program as a better choice for people who suffer from asthma and allergies.



<sup>\*</sup>https://www.healthpoint.co.nz/community-health-services/community-health/allergy-new-zealand-4/


<sup>&</sup>lt;sup>1</sup> https://www.asthmafoundation.org.nz/


<sup>&</sup>lt;sup>2</sup> https://www.tandfonline.com/doi/full/10.1080/1177083X.2016.1187636

#### COMMON HOUSEHOLD POLLUTANTS

Daikin air purifiers capture, suppress and break down a number of pollutants found in the home.

The air inside any home contains a range of pollutants and allergens that can contribute to poor indoor air quality, leading to potentially serious health problems for occupants.








The secret to high performance air purification is Daikin's Streamer Technology. This innovative technology features a high-power plasma discharge that generates high-speed electrons to decompose harmful substances. This powerful oxidative decomposition process continuously removes odours, bacteria and indoor air pollutants such as formaldehyde for superior air purification.


Compared to standard plasma discharge, the speed of oxidative decomposition is over 1000 times greater with the same electrical power!




Streamer emits high-speed electrons.




The electrons collide and combine with nitrogen and oxygen in the air to form four kinds of elements with powerful oxidative decomposition capabilities.



These elements break down unwanted substances.



#### STREAMER TECHNOLOGY - THE THREE C'S





<sup>&</sup>lt;sup>1</sup> Verified at Wakayama Medical University with the following test condition: Irradiated allergens with Streamer & checked decomposition of allergen proteins by either the ELISA method, electrophoresis or electron microscopy.

<sup>&</sup>lt;sup>2</sup> Verified at Japan Food Research Laboratories using antibacterial test/mould elimination test (test number: 204041635-001).



Turn your home into the great indoors. Daikin's Air Purifiers keep your indoor space fresh and healthy all year round.



#### **4 LAYERS OF FILTRATION**

Features Prefilter, Deodorising Filter, High Efficiency Particulate filter and Daikin's signature Streamer Technology.



#### **WIRELESS CONTROLLER**

A wireless remote controller is included with MC55YPVM models for simple, convenient operation at your fingertips.



#### **ANTI POLLEN MODE**

By creating gentle air turbulence from fan speed modulation, pollen is trapped by the air filters before it settles.



#### TRIPLE DETECTION SENSOR

Dust, PM2.5 particles and odour levels are displayed on the top of unit for easy live monitoring.



#### **TURBO MODE**

High power operation for quick removal of pollutants. Ideal for use when there is a sudden increase of occupants in the room.



#### **AUTO FAN MODE**

Airflow is optimised to suit contamination levels detected from the sensors for efficient energy usage.



#### **ECONO MODE**

Automatically switches between 'Quiet' & 'Low' operation mode to suit contamination levels. Ideal for sleeping hours



#### **ULTRA QUIET OPERATION**

Whisper quiet operation with sound levels of as low as 19dBA (in Quiet Mode).


#### 1. STREAMER TECHNOLOGY

Daikin's Patented Streamer Technology is the only one that decomposes viruses and bacteria.

#### How does this work?

In normal Air Purifiers, the bacteria and virus are still alive and active on the filter. They can still come out! So how can the bacteria and virus be decomposed and deactivated?

Daikin Streamer Technology can do it!



#### 2. ACTIVE PLASMA ION\* NEW



Reacts with the air to generate OH Radical which decays unpleasant protein particles to eliminate germs, fungus, allergens, odor, and bacteria. It also helps moisturize the skin.

#### How does this work?

Normal Air Purifiers cannot assure you that the air you are breathing does not contain harmful particles because there is stagnant air that does not pass through the HEPA filter.

Daikin Active Plasma ION Technology will spread out to reach every corner of the room to deactivate the virus.



\*Valid for model MC55YPVM only

#### 3. ELECTROSTATIC HEPA FILTER



Dust collection filter that catches fine particles of dust down to 0.3 microns using electrostatic forces. It is not prone to clogging and can purify a larger amount of air.

#### How does this work?

Normal HEPA filters can only catch fine particles but Daikin's Electrostatic HEPA filter ensures that even the smallest particle will be captured with electrostatic power.

The Electrostatic HEPA Filter is available in Daikin Air Purifiers!



**Deodorising filter** Absorbs odoui No need to change Pre-filter

Active plasma ion generation unit MC55 model only

**Dust collection filter** (Electrostatic HEPA filter) Catches fine particles of dust


oves 99.97% of fin particles of 0.3µr

Streamer unit

No maintenance of exchange needed



For over 90 years, Daikin has invested heavily in Research and Development to deliver market-leading technology and products that are efficient, powerful, reliable and easy to use.



## Streamer Air Purifier MC55YPVM



Rooms up to 82m<sup>2</sup> Airflow Rate: 330m<sup>3</sup>/h

## Streamer Air Purifier MC40YPVM



Rooms up to 62m<sup>2</sup> Airflow Rate: 240m<sup>3</sup>/h

#### **DC FAN MOTOR**

Efficiently controls fan rotational speed for greater power savings and quiet operations as low as 19dBA.

#### **PREFILTER**

PET net filter captures larger particulates to ensure unimpeded operation of other system elements.



#### SIROCCO FAN

Light weight sirocco fan. These fans feature an aerodynamic fan blade design which reduces turbulence for a more efficient and quieter air flow delivery.

# TRIPLE DETECTION SENSOR

Highly sensitive triple detection sensors measure the indoor air quality levels of the room.

#### **DEODORISING FILTER**

Odours are absorbed by the deodorising catalyst and further decomposed by the Streamer, therefore retaining the deodorising capacity of the filter.




Releases high speed electrons that collide with oxygen and nitrogen molecules, this activates them and enables oxidative decomposition.

### HIGH EFFICIENCY PARTICULATE FILTER

(Dust Collection Filter)

Removes 99.97% of fine particles<sup>1</sup>. Particulates are attracted to the electrostatic fibres and trapped, freeing up airflow for increased filter longevity.



The most ideal placement for your Daikin Air Purifier is opposite a Daikin Split System air conditioning unit to optimise the circular airflow effect.

The unit controls unevenness in the room temperature while cleaning the air during heating or cooling operation.

To maximise dust collection, it is most effective to place your Daikin Air Purifier on the floor, or as low as possible.



# SPECIFICATION & FEATURES





| MODEL                      |                                  | MC55YPVM  |     |     |       | MC40YPVM |     |     |       |  |
|----------------------------|----------------------------------|---|-----|-----|-------|----------|-----|-----|-------|--|
| Colour                     |                                  | White   |     |     |       |          |     |     |       |  |
| Mode                       |                                  | Air Purification  |     |     |       |          |     |     |       |  |
| Applicable Room Size* (m²) |                                  | 82  |     |     |       | 62       |     |     |       |  |
| Power Supply               |                                  | 1 Phase, 220-240V, 50Hz                                     |     |     |       |          |     |     |       |  |
| Power Cord Length (m)      |                                  | 1.8   |     |     |       |          |     |     |       |  |
| Fan Mode                   |                                  | TURB0   | STD | LOW | QUIET | TURB0    | STD | LOW | QUIET |  |
| Airflow Rate               | m³/h                             | 330   | 192 | 120 | 66    | 240      | 168 | 108 | 66    |  |
|                            | L/s                              | 92  | 53  | 33  | 18    | 67       | 47  | 30  | 18    |  |
| Power Consumption (W)      |                                  | 37  | 15  | 10  | 8     | 23       | 13  | 9   | 7     |  |
| Sound Pressure Level (dBA) |                                  | 53  | 39  | 29  | 19    | 49       | 36  | 27  | 19    |  |
| Dimensions (HxWxD) (mm)    |                                  | 500x270x270   |     |     |       |          |     |     |       |  |
| Weight (kg)                |                                  | 6.8   |     |     |       |          |     |     |       |  |
| Filtration                 | Dust (0.3µm)                     | High Efficiency Particulate Filter (Dust Collection Filter) |     |     |       |          |     |     |       |  |
|                            | Odour                            | Deodorising Filter + Daikin Streamer Technology             |     |     |       |          |     |     |       |  |
|                            | Formaldehyde, Bacteria & Viruses | Daikin Streamer Technology                                  |     |     |       |          |     |     |       |  |
| Replacement<br>Filters     | Dust Collection Filters          | KAFP080B4E  |     |     |       |          |     |     |       |  |

<sup>\*</sup>Room Size is calculated according to NRCC-54013 standard using cigarette smoke CADR tested according to JEM1467.

| MODEL  | MC55YPVM | MC40YPVM      |  |  |
|--|----------|---------------|--|--|
| FEATURES CONTROL OF THE PROPERTY OF THE PROPER | MCSTFVM  | IVIG401 FVIVI |  |  |
| Streamer Technology  | ✓        | ✓             |  |  |
| High Efficiency Particulate Filter (Dust Collection Filter)  | ✓        | ✓             |  |  |
| Deodorising filter   | ✓        | ✓             |  |  |
| Prefilter  | ✓        | ✓             |  |  |
| Active Plasma Ion Technology   | ✓        | -             |  |  |
| Streamer Operation Indicator (Regular/Low)   | ✓        | ✓             |  |  |
| Triple Detection Sensor & Indicator (Dust/PM2.5/Odour)   | ✓        | ✓             |  |  |
| Fan Speed Setting & Indicator (Quiet/Low/Standard/Turbo)   | ✓        | ✓             |  |  |
| Operation Mode Indicator   | ✓        | ✓             |  |  |
| Auto Fan Mode  | ✓        | ✓             |  |  |
| Econo Mode   | ✓        | ✓             |  |  |
| Pollen Mode  | ✓        | ✓             |  |  |
| Wireless Remote Controller   | ✓        | _             |  |  |
| LED Brightness (Bright/Dim/Off)  | ✓        | ✓             |  |  |
| Sensor Sensitivity Adjustment  | ✓        | ✓             |  |  |
| Child Proof Lock   | ✓        | -             |  |  |
| Auto-Restart After Power Failure   | ✓        | ✓             |  |  |

The specifications, designs and information in this brochure are subject to Change without notice. Unit colours shown are as close as possible to actua unit colours. Colours depicted in this brochure may vary slightly.

#### **ASSLIMPTIONS**

All representations made in Daikin marketing and promotional material are based on the assumptions that the correct equipment has been selected, appropriately sized and installed in accordance with Daikin's installation instructions and standard industry practices.

#### QUALITY CERTIFICATIONS

Dalkin Industries Ltd was the first air conditioning equipment manufacturer in Japan to receive ISO 9001 certification. All Dalkin manufacturing facilities have been certified to ISO 9001 Quality Management System requirements. ISO 9001 is a certificate for quality assurance concerning 'design, development, manufacturing, installation and related service' of products manufactured at that factory.

Residential Air Conditioning Manufacturing Div (ISO 9001) JQA-0486 May 2, 1994 Commercial Air Conditioning and Refrigeration Manufacturing Div (ISO 9001) JMI0107 December 28, 1992 (Kanaoka Factory and Rinkai

#### **ENVIRONMENTAL CERTIFICATIONS**

Daikin Industries Ltd has received ISO 14001 Environmental Certification for the Daikin production facilities listed below. ISO 14001 is an international standard specifying requirement for an environmental management system, enabling an organisation to formulate policy and objectives, taking into account legislative requirements and information about significant environmental impacts. It applies to those environmental aspects within the organisation's control and over which it can be expected to have an influence.

The certification relates only to the environmental management system and does not constitute any endorsement of the products shipped from the facility by the International Organisation for Standardisation.

Head Office / Tokyo Office Shiga Plant (Japan) Sakai Plant (Japan) Daikin Industries (Thailand) Lt Yodogawa Plant (Japan) Daikin Australia Pty. Ltd.

Certificate number: EC02J0355 Certificate number: EC99J2044 Certificate number: JQA-E-80005 Certificate number: JQA-E-90108 Certificate number: EC99J2057 Certificate number: CEM20437

Daikin Air Conditioning New Zealand Limited (ISO 9001) QMS42380 Auckland



Industrial System and Chiller Products Manufacturing Div (ISO 9001)

JQA-0495 May 16, 1994 (Yodogawa Plant and Kanaoka Factory and Kishiwada Factory) **Daikin Europe N.V (ISO 9001)** Llovd 928589.1 June 2. 1993

Daikin Industries (Thailand) Ltd JQA-1452 September 13, 2002 (ISO 9001)



**DAIKIN SPECIALIST** 

For all sales enquiries email: sales@daikin.co.nz

For customer service or technical support:

0800 209 010 daikin.co.nz